

contemporary landscape



ndex

- **02** INTRODUCTION
- **04** MIRAGE® EVO_2/E™
- **06** THE ADVANTAGES OF PORCELAIN STONEWARE
- 16 EVO 2/E™ APPLICATIONS
- 22 LAYING SYSTEMS
- 24 INSTALLATION ON GRAS
- 28 INSTALLATION ON GRAVEL OR SAND
- 32 ADHESIVE INSTALLATION
- 36 INSTALLATION ON RAISED PEDESTAL SYSTEM
- 46 SOLUTIONS FOR GARDENS AND PUBLIC SPACES
- 52 SPECIAL PIECES FOR GARDENS
- 58 DOUBLE SIDED SPECIAL TRIM: UNICO
- 60 FUNCTIONALITY AND DESIGN FOR STREET FURNISHING
- 62 EXAMPLES OF OUTDOOR DESIGNS WITH EVO_2/ETM

- 118 SWIMMING POOL DESIGN, A DIVE INTO THE FUTURE
- **20** PORCELAIN STONEWARE: A SAFE CHOICE
- 122 FOR ANY EDGE. THE IDEAL SOLUTION
- 124 SPECIAL PIECES FOR POOLS
- 132 INVISIBLE GRID, THE NEW SOLUTION
- 134 EXAMPLES OF SWIMMING POOL DESIGNS WITH EVO 2/ETM
- 168 THE EVO_2/E™ RANGE
- 170 STONE-EFFECT
- **178** WOOD-EFFEC
- **186** CONCRETE-FEEC
- 190 OUTDOOR COMPLEMENT
- **194** MODULAR DESIGN
- 198 30 MILLIMETRE (11/4) THICK SLABS


202 TECHNICAL CHARACTERISTICS

Note: For North America and Oceania markets please refer to the specific catalogue.



contemporary landscape

THIS EVO_2/E™ CATALOGUE CANCELS AND REPLACES ANY PREVIOUS ONE.



THE PLEASURE OF OUTDOOR LIVING

Green spaces to be conquered, designs in perfect harmony with their surroundings. Technology and nature, ideas and passion, earth and sky. Beneath the sun and the stars, there's a whole new world to be discovered.


Contemporary Landscape






The first 20 mm (3/4") thick porcelain stoneware produced and sold as a complete outdoor and garden package. A complete system of floor coverings and special pieces for public and residential outdoor spaces, presented in a single, attractive and high-performing range. A new ceramic concept offering a wide range of different sizes, colours, finishes and laying styles.








A blending of advantages

MIRAGE® PORCELAIN STONEWARE

It is a material with high technical and visual performance. Slabs obtained by pressing, followed by vitrification: this process involves the total fusion into a single material made from natural raw materials (sand, quartz, feldspars, kaolin, clays and natural colourants) which, fired at temperatures above 1230°C (2240°F), are transformed into a product with exceptional hardness, practically no absorption at all and unmatchable mechanical characteristics. Mirage® porcelain stoneware is eco-compatible and Ecolabel-certified.



Resistant



NORM FRIENDLY.

Mirage® EVO_2/E™ Porcelain Stoneware fully complies with current statutory safety requirements for public and private settings, above all in terms of slipping, deep abrasion and fire resistance.



to thermal shock

Because it is 100% frost-free and its properties remain unaltered at temperatures of -50°C to +60°C (-120°F to +140°F).



to loads

Because every slab can withstand loads of over 1000 kg (2200 lb).



to chemical aggression

Because it totally resists acids, chemical agents, salt and verdigris.



to stains

Because it remains unaltered over time, mould and moss and dark smudges cannot get a hold.



Easier



PRACTICAL AND FUNCTIONAL.

With EVO_2/ETM you can live your outdoors in full **freedom** and safety: a practical, functional product for any outdoor surface.



to clean

Because it requires no special or seasonal treatment and can be washed easily, even using a pressure washer.



to lay

Because it is a squared, single worksize, which uses the same laying systems as other common outdoor materials.



to remove

Because it is removable, serviceable and reusable, weighing just 17 kg per 60x60 cm slabs (37 lb per 24"x24" slabs) (excluding laying on screed with glue).



for you

Because it is non-slip thanks to the structured surface.



Respectful of the environment



A GREEN COMPANY.

Mirage® subscribes to IPPC (Integrated Pollution **Prevention and Control) Protocols,** certifying its



Ecolabel

EVO 2/E™ collections guarantee low environmental impact throughout their life cycle, in compliance with the strictest European ecological and technical parameters.



Leed Compliant

All the slabs in the Mirage® catalogue are LEED compliant and help to obtain up to 10 LEED credits, depending on colour and use.



Made in Italy

in Italy, an element which today more than ever bears witness to the company's desire to promote the quality and values of Italian-made goods.



HY-PRO²⁴

All Mirage® tiles are designed and produced entirely The Mirage® treatment, available on request, with titanium dioxide, enhanced with active metal elements, makes the material photocatalytic, antipollutant, hygienic and anti-bacterial, 24 hours a day.



Contemporary Landscape



MORE DESIGN, ALSO FOR LARGE AREAS.

The **flatness and size precision of the slabs,** their visual impact and level of finishing are excellent even for large areas, such as street furnishing projects.



attention to detail

Because it has a range of highly attractive solutions, with special pieces for different uses and to create innovative surfaces.



wide range

Because you can choose from a range of over 40 interpretations of stone, wood and concrete.



total coordination

Because you can create fully coordinated interiors and exteriors, in different colours.



versatility


Because you can use a range of laying systems for many specific solutions, in gardens, parks, terraces, courtyards and swimming pools.



For exterior designers.

ARE YOU AN ARCHITECT, LANDSCAPER, GARDENER OR EXTERIOR DESIGNER?

In creating **EVO_2/E**TM, Mirage[®] has thought of you, and your need to offer safe and practical design products suited to any outdoor setting that are able to blend in perfectly with a range of indoor uses. Outdoor floorings, with the **Mirage**[®] guarantee: an international company with over 40 years' experience in the sector, working in over 120 countries around the world.



COORDINATED WITH YOUR NEEDS, ANYWHERE.

TERRACES, PATHS, GARDENS, PATIOS, SWIMMING POOLS.

Or stairways, walls and driveways ... for an outdoor living style that reaches right into the home, with **Mirage® indoor flooring coordinated with its outdoor ranges. EVO_2/E**TM lets your ideas take shape, with total flexibility and infinite design continuity. To express your best potential in locations packed with different levels, special situations and innovative spaces to furnish.



The size of your ideas



20MM (3/4") THICK - 30MM (11/4") THICK

Many different sizes, square and modular, to mould your design to fit any surface. Mirage® EVO_2/E™ has fitted in with your needs, supplying all the sizes you need



The ideal laying system for every need.



GRAVEL, GRASS, SCREED WITH GLUE OR RAISED FLOORING?

The **EVO_2/E**[™] **Mirage**® project makes available a set of laying solutions suited to any outdoor ground or surface, to offer full laying versatility. Moreover, whatever the surface to be laid on, **EVO_2/E**[™] porcelain stoneware **uses the same laying systems as ordinary outdoor materials.**



NOTE

IF THE APPLICATION OF THE 20 MM SLABS FORESEES THE CERAMIC PRODUCT USED IN STRUCTURAL INSTALLATIONS, THE PROJECT ENGINEER AND/OR CUSTOMER MUST CAREFULLY ASSESS THE PROJECT REQUIREMENTS WITH REGARD TO THE TECHNICAL SPECIFICATIONS OF THE SLABS. TO PREVENT THE RISK OF DAMAGE OR INJURY, THE MANUFACTURER RECOMMENDS:

- WITH REGARD TO A RAISED FLOOR INSTALLATION A CERAMIC SLAB MAY FRACTURE ON IMPACT IF A HEAVY OBJECT FALLS ON IT FROM ANY SIGNIFICANT HEIGHT. THEREFORE THE MANUFACTURER RECOMMENDS TO CHECK THE SPECIFIC INTENDED USE BEFORE STARTING THE INSTALLATION AND TO FOLLOW TABLE FOR RAISED INSTALLATION PROVIDED BELOW. IN CERTAIN CONDITIONS, REINFORCING MUST BE APPLIED ON THE BACK OF THE SLABS (MESH PLUS OR GALVANIZED STEEL SHEET) SUPPLIED AND APPLIED BY THE MANUFACTURER:
- WITH REFERENCE TO ANY DRY INSTALLATION SYSTEM OF FLOORING ABOVE THE GROUND LEVEL, THE MANUFACTURER RECOMMENDS TO COMPLY WITH LOCAL REGULATIONS AND CONDITIONS OF USE WITH REGARD TO WIND-LOAD, LOADBEARING, SEISMIC EVENTS, ETC.

FAILURE TO COMPLY WITH THESE RECOMMENDATIONS MAY LEAD TO IMPROPER USE OF THE PRODUCT AND COULD CAUSE SERIOUS DAMAGE OR INJURY.






INSTALLATION ON GRASS

The ideal laying solution for creating walkways, barbecue areas and gazebos in the garden: by laying EVO_2/E™ slabs on the ground, you can preserve the underlying lawn, preventing it from being damaged by weights or heavy foot traffic.


The range is also suitable for creating public and residential walkways and outdoor areas.






HOW TO LAY "JAPANESE STEPPING STONES"

To create a path pattern arranging the slabs in the "Japanese stepping stone" style, you need to calculate the number of steps needed to complete the path, then space the slabs at an equal distance along the route. To ensure perfect stability, dig down 5-8 cm (2"-3"), add fine gravel - size 3 to 6 mm $(\frac{1}{8}"$ to $\frac{1}{4}")$, and compact down before laying the slab. The slabs must not protrude above the lawn level, in order not to damage the lawnmower when cutting the grass.



The proposed diagrams and indications are purely indicative of the type of application: please refer to the specific regulations in force in your country in order to lay the floor to the highest technical standards.

For any information and/or suggestion concerning EVO_2/E™ laying systems installation, please refer to the specific manual EVO_2/E™.




INSTALLATION ON GRAVEL OR SAND

Laying on gravel ensures correct soil drainage, through the gaps between the slabs, allowing the water to drain off into the ground. This laying solution is ideal for projects where permanent floor laying is not possible.







The proposed diagrams and indications are purely indicative of the type of application: please refer to the specific regulations in force in your country in order to lay the floor to the highest technical standards.

For any information and/or suggestion concerning EVO_2/ E^{TM} laying systems installation, please refer to the specific manual EVO_2/ E^{TM} .



ADHESIVE INSTALLATION

The ideal laying solution for outdoor driveways, car parks, garage ramps, as the laid surface is extremely resistant to both dynamic and concentrated loads. Expansion joints are required, and the gaps between the tiles must be filled with cement-based grout.





ADHESIVE INSTALLATION


Cement grout min CG2W (EN 13888)
EVO_2/ETM
Glue for outdoors min C2ES1 (EN 12004)
Possible layer of cement waterproofing (2/4 mm)
Sloping screed (5/10 cm - >1.5%)
Reinforced concrete with electro-welded mesh (10/25 cm)
Electro-welded mesh
Earth

The proposed diagrams and indications are purely indicative of the type of application: please refer to the specific regulations in force in your country in order to lay the floor to the highest technical standards.

For any information and/or suggestion concerning EVO_2/ E^{TM} laying systems installation, please refer to the specific manual EVO_2/ E^{TM} .



Installation on raised pedestal system exploits the conventional system of floating or raised floors. With this laying system, all the pipes and wiring systems laid beneath the tiled surface can be inspected at any time. It offers instant accessibility, simply by lifting and removing the slabs.







Installation on raised pedestal system is used mainly on large, regular surfaces, or above previous floors, provided these show no signs of infiltration. The open gaps between the slabs allow the rain water to drain off into the cavity created under the panels. Thus a flat, even floor is obtained, while the underlying waterproof layer will have the gradient required to drain off the rain water.

The load-bearing structure is made of polypropylene feet with a large base and rounded edges, to prevent damage to the insulating layer. This solution allows for any underlying elements to be inspected and offers a practical passage for pipes and wiring.

RAISED PEDESTAL SYSTEM (FIXED SUPPORT)



RAISED PEDESTAL SYSTEM (ADJUSTABLE SUPPORT)



Note: For raised pedestal system please refer to the specific tab - see on page 42.

The proposed diagrams and indications are purely indicative of the type of application: please refer to the specific regulations in force in your country in order to lay the floor to the highest technical standards.

For any information and/or suggestion concerning EVO_2/E™ laying systems installation, please refer to the specific manual EVO_2/E™



FIXED SUPPORT



SUPPORT	TYPE	CODE	HEIGHT (mm)
	EH12	WC50	12
	EH15	WA12	15
	EH20	WC51	20
AVA.	LH3	WC52	3

ADJUSTABLE SUPPORT



SUPPORT	TYPE	CODE	HEIGHT (mm)				
	NM1	WC22	25-40				
	NM2	WA13	40-70				
	NM3	WC17	60-100				
	NM4	WC31	90-160				
	NM5	WA86	150-270				
	LGH2	WV37	2				
	LGH3	WF29	3				

SELF-LEVELLING SUPPORT



SUPPORT	TYPE	CODE	HEIGHT (mm)						
	SE0	WS93	28-38						
	SE1	WC18	37,5-50						
	SE2	WA14	50-75						
	SE3	WC19	75-120						
	SE4	EC20	120-170						
	SE5	EC53	170-215						
	SE6	EC57	140-230						
	SE7	EC97	185-275						
	LGH2	WV37	2						
	LGH3	WF29	3						

TECHNICAL CHARACTERISTICS OF THE SUPPORTS

SUPPORTS MADE FROM 100% RECYCLABLE MATERIALS

RESISTANT TO ACIDS AND ALKALIS

RESISTANT TO ATMOSPHERIC AGENTS

40

RESISTANT TO TEMPERATURES FROM -30°C TO +120°C (-90°F TO +250°F)

Note: For raised pedestal system please refer to the specific tab - see on page 42.

NOTE

IF THE APPLICATION OF THE 20 MM SLABS FORESEES THE CERAMIC PRODUCT USED IN STRUCTURAL INSTALLATIONS, THE PROJECT ENGINEER AND/OR CUSTOMER MUST CAREFULLY ASSESS THE PROJECT REQUIREMENTS WITH REGARD TO THE TECHNICAL SPECIFICATIONS OF THE SLABS. TO PREVENT THE RISK OF DAMAGE OR INJURY, THE MANUFACTURER RECOMMENDS:

- WITH REGARD TO A RAISED FLOOR INSTALLATION A CERAMIC SLAB MAY FRACTURE ON IMPACT IF A HEAVY OBJECT FALLS ON IT FROM ANY SIGNIFICANT HEIGHT. THEREFORE THE MANUFACTURER RECOMMENDS TO CHECK THE SPECIFIC INTENDED USE BEFORE STARTING THE INSTALLATION AND TO FOLLOW TABLE FOR RAISED INSTALLATION PROVIDED BELOW. IN CERTAIN CONDITIONS, REINFORCING MUST BE APPLIED ON THE BACK OF THE SLABS (MESH PLUS OR GALVANIZED STEEL SHEET) SUPPLIED AND APPLIED BY THE MANUFACTURER:
- WITH REFERENCE TO ANY DRY INSTALLATION SYSTEM OF FLOORING ABOVE THE GROUND LEVEL, THE MANUFACTURER RECOMMENDS TO COMPLY WITH LOCAL REGULATIONS AND CONDITIONS OF USE WITH REGARD TO WIND-LOAD, LOADBEARING, SEISMIC EVENTS, ETC.

FAILURE TO COMPLY WITH THESE RECOMMENDATIONS MAY LEAD TO IMPROPER USE OF THE PRODUCT AND COULD CAUSE SERIOUS DAMAGE OR INJURY.



size	up to 2 cm ($^{3}/_{4}$ ") if from 2 cm ($^{3}/_{4}$ ") to 10 cm (4 ") if from 10 cm (4 ") to 30 cm (3									
60x60 cm / 24"x24" (rated) 4 supports per slab	4 SUPPORTS (3,4 pcs/m²)	4 SUPPORTS (3,4 pcs/m²)	4 SUPPORTS (3,4 pcs/m²) + FIBER-MESH <i>PLUS</i> OR GALVANIZED STEEL SHEET							
45x90 cm / 18"x36" (rated) 60x120 cm / 24"x48" (rated) 6 supports per slab	6 SUPPORTS (6,0 pcs/m² - 45x90) (3,4 pcs/m² - 60x120)	6 SUPPORTS [6,0 pcs/m² - 45x90] [3,4 pcs/m² - 60x120] + FIBER-MESH <i>PLUS</i> OR GALVANIZED STEEL SHEET	6 SUPPORTS (6,0 pcs/m² - 45x90) (3,4 pcs/m² - 60x120) + FIBER-MESH <i>PLUS</i> OR GALVANIZED STEEL SHEET							
30x120 cm / 12"x48" (rated) 6 supports per slab	6 SUPPORTS (7 pcs/m²)	6 SUPPORTS (7 pcs/m²) + FIBER-MESH <i>PLUS</i> OR GALVANIZED STEEL SHEET	6 SUPPORTS (7 pcs/m²) + FIBER-MESH <i>PLUS</i> OR GALVANIZED STEEL SHEET							
20x120 cm / 8"x48" (rated) 6 supports per slab	6 SUPPORTS (11 pcs/m²)	WITH SPECIAL STRUCTURE SEE E_DECK CATALOGUE	WITH SPECIAL STRUCTURE SEE E_DECK CATALOGUE							
90x90 cm / 36"x36" (rated) 4 supports per slab	4 SUPPORTS (3 pcs/m²)	NOT APPLICABLE	NOT APPLICABLE							


Note: For any detail and technical specification concerning the fiber mesh plus or the galvanized steel sheet, please contact Mirage®. Mirage® is responsible only if it supplies the whole system (tile + fiber mesh plus or galvanized sheet). Mirage® cannot be held responsible for reinforcing systems that has not supplied. In case of breakage, tile must be replaced immediately.

42





GALVANIZED STEEL SHEET FIBER-MESH PLUS



included during levelling and compaction.


Please remember in any case that, in view of the distinctive advantages of porcelain stoneware, EVO_2/ E™ absorbs practically no water, which makes it highly frost-proof. This may lead to localised water pooling, mainly on the edges of the tiles, independently of the manner and quality of the laying. Laying is also recommended with a minimum gap of 3 mm (1/8).



VERTICAL EDGE CLIP

The sure innovation to 'finish off in style'


Designed to solve the common problem of many outdoor flooring systems, i.e. how to close off the edge when there is no perimeter wall. The **vertical edge clip** is an innovative system for closing off the outer edge of raised floors with an easy and elegant solution. The solution consists of two special stainless steel clips that are placed on top and underneath the base, creating a space with edges that grip onto the portion of flooring cut to size for the area to fill, and preventing any horizontal slippage of the slabs at the same time because of the block at the edge of the floor clip.



SLAB EDGE CLIP

The ideal combination of looks and functions

Designed to prevent any contact between the slab and the perimeter wall when fitting raised outdoor flooring, the **slab edge clip** is made entirely in stainless steel and has a system to absorb longitudinal and transversal dilation as well as providing a reliable grip, enabling an elegant, straight perimeter gap while giving the floor extra stability.






Gardens and public spaces? We have thought of everything.

SPECIFIC SOLUTIONS THAT MAKE THE DIFFERENCE.

When your ideas have to be turned into reality, it is not enough to be working with top quality materials. This is why **EVO_2/E**TM makes available a series of solutions designed to respond to the most specific, advanced **garden** and **street furnishing** needs. Solutions designed to match your project perfectly, creating a functional design for tiling any element, letting your creativity run wild.



STYLE AND ELEGANCE FOR GARDENS.

Many **special pieces** to create perfect porcelain stoneware complements for your


garden settings, leaving nothing to chance. For uncompromising **green comfort**.





- (1) Grooved riser 15x120 (6"x48") / 15x90 (6"x36")
- Large step 30x120 (12"x48") / 30x90 (12"x36")
- (3) Riser 15x120 (6"x48") / 15x90 (6"x36")
- (4) Grip large step 30x120 (12"x48") / 30x90 (12"x36") (15) Top 40x40 (16"x16")
- U edge 15x15x60 (6"x6"x24")
- **(6)** L edge 15x15x60 (6"x6"x24")
- (7) Grille 15 15x60 (6"x24")
- LH corner grille 15 15x60 (6"x24")
- RH corner grille 15 15x60 (6"x24")
- (10) End conduit $15x8x60 (6"x3^{1}/8"x24")$
- (11) LH corner conduit 15x8x60 (6"x31/8"x24")
- (12) RH corner conduit 15x8x60 [6"x31/8"x24"]

- (13) Conduit 15x8x60 (6"x31/8"x24")
- **(14)** Cover 30x120 (12"x48")
- (14a) End cover 30x120 (12"x48")
- (16) Top 50x50 (20"x20")
- (17) Assembled countertop 40x40 (16"x16")
- (18) Assembled countertop 50x50 (20"x20")
- **(19)** Reverse countertop 40x40 [16"x16"]
- (20) Reverse countertop 50x50 (20"x20")
- (21) L large step 30x60 (12"x24") / 30x90 (12"x36") / 30x120 (12"x48")
- (22) L grip large step 30x60 (12"x24") / 30x90 (12"x36") / 30x120 (12"x48")




RANGE OF SPECIAL PIECES


	1	2	3	4	<u> </u>	6	7	8	9	10	11	12	13	14	14a	15	16	17	18	19	20	21	22
AD 02 Island			Ŭ		•	:		•	•		•	•			110								:
AD 03 African Stone					•	:							•	: :								:	:
AD 05 Vulcan																							
AW 01 Fence														: :									
AW 03 Cabin																							
• • • • • • • • • • • • • • • • • • • •				:	•						•	•		: :			•	•	•	•			
AW 05 Bench				: :	•	•	•	•		•	•	•	•	: :		•	•	•	•	•	•		
AW 07 Boat				:	•	•	•	•	•	•	•	•	•	:		•	•	•	•	•	•	•	
EP 01 Cremo delicato	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
EP 02 Pietra piasentina	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
EP 03 Lagos grey	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
EP 04 Crema luna	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
JW 02 Calacatta Reale	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
JW 04 Travertino Classico	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
JW 06 Fumo di Londra	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
LB 04 Lab_mou					•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•
LB 07 Lab_fog					•	•	•	•	•		•	•	•			•	•	•	•	•	•	•	
MP 02 Way																							
MP 03 Block														<u>:</u>									
MP 04 Road																							
NA 01 Fado	:			:			: :						<u> </u>	: :									
• • • • • • • • • • • • • • • • • • • •				:									•	: :								: :	
NA 02 Indie				:	•	•	•	•	•	•	•	•	•	: :								:	
NA 03 Epic	•	•	•		•	•	•	•	•	•	•	•	•										
OF 02 Romantic					•	•	•	•	•	•	•	•	•	<u>.</u>								: :	
OF 03 Dark	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
OF 04 Gothic					•	•	•	•	•	•	•	•	•										
RR 01 Vit					•	•	•	•	•	•	•	•	•	: : :								<u>:</u> •	:
RR 02 Grå					•	•	•	•	•	•	•	•	•										
RR 03 Svart					•	•	•	•	•	•	•	•	•									:	
QR 01 Glacier					•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•
QR 02 Mountain	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
QR 03 Waterfall	•	•	•	•	•		•				•	•			•	•	•	•	•	•		•	
QR 04 River					•	•			•		•	•		<u>.</u>			•		•	•			
QR 05 Mantle																							
SI 01 Artico																							
SI 04 Havana														: :									
SI 05 Dakota				:	•						•	•		: : :									
• • • • • • • • • • • • • • • • • • • •	•			: :	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•		
SO 05 Chambrod	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SO 10 Pierre Bleue	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SO 11 P. Bleue Sablée	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SD 01 Origin					•	•	•	•	•	•	•	•	•									:	<u>:</u>
SD 02 Classic					•	•	•	•	•	•	•	•	•										
SD 03 Spirit					•	•	•	•	•	•	•	•	•										
TB 02 Harrison					•	•	•	•	•	•	•	•	•										
TB 03 Hudson					•	•	•	•	•	•	•	•	•										
TB 04 Greenwich					•	•	•	•	•	•	•	•	•										
TB 05 Broadway					•		•		•			•	•										
	:	:		:	: <u>.</u>	: <u>.</u>	:	: <u>.</u>	·	:		:	: <u>.</u>	:	:			:	:		:	:	:


53


SPECIAL PIECES FOR GARDENING















SPECIAL PIECES FOR GARDENING















DOUBLE SIDED SPECIAL TRIM: UNICO

SIZE 33x60 cm (13"x24") - 20 mm (3/4") THICK

Two installation needs, a single solution. UNICO, size 33x60 cm (13"x24"), is processed on both sides, on one side it has a rounded edge and on the other a square edge. An extremely versatile special piece, which can be used both as a step and as a special piece for swimming pools, with bullnose edge or straight edge, both coloured along the side. A highly attractive result, with all the excellent technical performance expected of Mirage® porcelain stoneware.



58

Available in stock



Installation with square edge

Installation with rounded edge

AVAILABLE COLOURS

NORR.







Vit RR 01

Grå RR 02

QUARZITI_2.0











Glacier QR 01

Mountains QR 02

Waterfall QR 03

River QR 04

Mantle QR 05

STONES_2.0







Chambrod SO 05

Pierre Bleue SO 10

P. B. Sablée SO 11








FUNCTIONALITY AND DESIGN FOR STREET FURNISHINGS.

Mirage® EVO_2/E™ offers a whole range of special solutions for public areas. Special pieces coordinated with the flooring, designed with a modular approach: so you can fit your design to small or large spaces. Practical solutions that simplify your work, ensuring top quality for the most important contracts.







Flower boxes, like the other furnishing elements, can be used in any laying pattern with 60x60 (24"x24") and 60x120 (24"x48") tiles, maintaining the required modularity.








The bicycle rack is also designed with a modular approach, so that the elements can be combined together to create a continuous rack.

BED BORDERS





For finishing green areas in public spaces, the Curved Corner 15 and the Edge 15 were designed to create a wide range of different shapes.


BENCHES





The bench was designed to be fully modular, fitting in to laying patterns using 60x60 (24"x24") and 60x120 (24"x48") slabs, its design coordinated with the flooring slabs.




























































Swimming pool designs, a dive into the future.




VILLAS, HOTELS, WELLNESS CENTRES, HOLIDAY HOMES.

Whatever the location, **EVO_2/E**™ is the most complete range of outdoor flooring for your swimming pool or sun deck, at the sea or in the mountains.

A range of slabs and special pieces designed for the swimming pool world, fully blending with your other outdoor décor and guaranteeing full coordination with 10 mm ($\frac{3}{8}$ ") interior ranges.

It also works perfectly with both types of edges: skimmers and overflow filter pools.



Porcelain stoneware: a safe choice.



ALLINED WITH YOUR DESIGN.

EVO_2/E™ swimming pool solutions are fully coordinated with the other outdoor ranges, in both design and all other intrinsic features. Because Mirage® is one of the few companies that uses the same material in the pool too: porcelain stoneware.



it does not deteriorate

Because EVO_2/E™ is resistant to water, rain, chlorine and saline water in salt-water pools.



it is non-slip

Because it has textured surfaces which can be walked on safely even when wet.



It doesn't change colour SRI tra 60% e 80%

Because it is fully resistant to frost, sun, mould, and requires no treatment. Washable also with a high pressure washer.



Some colours have a solar reflectance index of between 60% and 80%, which means that the material has low heat absorption.



FOR ANY EDGE, THE IDEAL SOLUTION.

SKIMMER OR OVERFLOW?

With **EVO_2/E**[™] you can choose the best system for your pool, because special pieces are available to create unlimited, coordinated designs, with **a wide selection of edges and conduits.**



SKIMMER EDGE

This is the traditional system, where the water is 10-15 cm (4"-6") lower than the edge of the pool.



OVERFLOW EDGE

This is a deck-level overflow system, where the water flows over the edge of the pool and is collected in a conduit.








SPECIAL PIECES FOR SPECIAL POOLS.

Edges, corners, grilles. EVO_2/E™ supplies all the special pieces you need to

design the perfect pool, from every point of view.






RANGE OF SPECIAL	L P																							
	. 1	1E	2	. 3	4	5	. 6	7	8	9	10	<u>11</u>	12	13	14	.15	16	.17	18	19	20	21	22	23
AD 02 Island												: 		•		•	•	•	•	: 		•	•	•
AD 03 African Stone	<u>:</u>	<u>.</u>										: :	: :	•		•	•	•	•				•	
AD 05 Vulcan	•	<u>.</u>	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
AW 01 Fence	•	<u>.</u>	. •					•	. •	•	•	•	•	•	.≗.	•	•	•	•	•	•	•	•	
AW 03 Cabin	•		•		•	. •	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
AW 05 Bench	•		. •		•		. •	•	•	•	•	•	. •	•		•	•	•	•	•	•	•	•	
AW 07 Boat	•	<u>.</u>	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
EP 01 Cremo delicato	•	<u>.</u>	. •					•	. •		•	•	•	•		•	•	•	•	•	•	•	•	
EP 02 Pietra piasentina	•	<u></u>	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
EP 03 Lagos grey	•	<u>.</u>	. •		•		. •	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
EP 04 Crema luna	•		•		•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
JW 02 Calacatta Reale	•		. •		•		•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
JW 04 Travertino Classico	•	: :	•	•	•	. •	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
JW 06 Fumo di Londra	•	<u>:</u>	. •				: •	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
LB 04 Lab_mou	•		•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
LB 07 Lab_fog	•	<u>:</u>	•	. •	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
MP 02 Way	•		•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
MP 03 Block	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
MP 04 Road	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
NA 01 Fado	:	:	:	:	:	:	· • · · · ·	:	:	:	:	:	:	•	•	•	•	•	•	:		•	•	•
NA 02 Indie												:		•	•	•	•	•	•			•	•	•
NA 03 Epic	•	:					. •	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	
OF 02 Romantic						:				:		:		•	•	•	•	•	•	:		•	•	
OF 03 Dark	•	:	•					•	•	•	•	•	•		•	•	•		•	•	•	•	•	
OF 04 Gothic																•							•	
RR 01 Vit										:	•			•	•	•	•		•	•				
RR 02 Grå										:	•	•	•	•	•	•	•		•	•	•	•	•	
RR 03 Svart											•	•			•				•	•				
QR 01 Glacier																								
QR 02 Mountain																								•
QR 03 Waterfall		•																		•				
QR 04 River																				• • • • •	• • • • •			
QR 05 Mantle																								
SI 01 Artico									: · · · ·			: :												4
SI 04 Havana	: :	· · · · ·	•		• • • • • • • • • • • • • • • • • • • •	::	. .		: :	: :	:	: :	:							: :				
SI 05 Dakota	<u>:</u>	+	:	:	· : ! · · ·	•	· ! · · · ·	:	<u>:</u>	: :														4
SO 05 Chambrod																								
SO 10 Pierre Bleue				•		÷.																		
SO 11 Pierre Bleue Sablée																								
SD 01 Origin									: :	: :	:	: :		•						: :				
· · · · · · · · · · · · · · · · · · ·			. <u>.</u> !					<u>.</u>	: :	: :	: :	: :								: :			•	
SD 02 Classic		<u>.</u>	. <u>.</u>																			. • .		
SD 03 Spirit								:	:	:	:	:				:	•		•	:		•	•	
TB 02 Harrison		. .						<u>:</u>	:	:	:	: : · · · ·	<u>:</u>	•					•	:		•	•	
TB 03 Hudson	<u>:</u>	. .						:	:	:	:	: : · · · ·	<u>:</u>	•		•		••••	. • .	:		. •	•	.:
TB 04 Greenwich							. :	<u>:</u>	:	:	:	:	<u>:</u>	•		•	•	•	•	:			•	*****
TB 05 Broadway	<u>:</u>	<u>:</u>	<u>::</u>	. :	<u>:</u>	<u>.:</u>	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	•	<u>.:</u>	<u> </u>	<u>:.•</u> .	<u>:.•.</u>	<u></u>	<u>:</u>		•	•	<u>.:.•</u>
								١			n			_	_									
			C C	.R.	25		L]			J SE	-			:0VI	С			Q Al				SE	
				 6x31				16			2x1				,0vi			8,	Аі (8х1)	3			60x	, <u>R</u>
				16"x1			[3/4"X			[3	/4"x6 ⁵			24"x			') [31/8"x			[2	4"x2		
ESPRIT			,5 /	/\ [_ ,	:	(/4 //	- /10)	:	- (,4 7.0	,10)	:	·- · /	- 10 1	.5 70	:	2 /0 //	2 70 X	- 10 J	:	. ,,,_		. 70)
LAB_21				•							•													
QUARZITI 2.0		:				:							:											


127


STONES 2.0


SPECIAL PIECES FOR POOLS













SPECIAL PIECES FOR POOLS














INVISIBLE GRID


A **new solution** for water recirculation for deck-level pools















































Contemporary Landscape: our range.

THE EVO_2/E™ RANGE.

With over 40 references, a wide selection of sizes, colours, slip coefficients and surface finishes - wood, concrete and stone effects - to satisfy any style in the best possible way. Natural and high-impact moods that capture the essence of contemporary trends and ensure the highest technical performance with the exceptional features of porcelain stoneware. And there is plenty to choose from in the Mirage® interior collections, so you can bring your ideas indoors too.









ARDESIE







Island **AD 02**





AD 05

NAT SQ **■** 20 mm (¾")


60x60 (24"x24") NAT SQ **G** 20 mm (3/4")

60x60 (24"x24") NAT SQ **■** 20 mm (¾")

Shade variation









SRI (60-80%): Indice di Rifletta Indice di Riflettanza Solare Solar Reflectance Index

NAT: Natural

Naturale Strutturata Structured

Piallata Radiale Piallata

Radiale

Dogata Strutturata Anticata Aged Structure



Aspetto uniforme Uniform appearance





Moderata variazione Moderate variation



SIZES AND COLOURS

ESPRIT



Cremo Delicato



60x120 (24"x48") ST SQ **6** 20 mm (3/4")

60x60 (24"x24") ST SQ **€** 20 mm (¾")



Pietra Piasentina **EP 02**



60x120 (24"x48") ST SQ **6** 20 mm (3/4")

60x60 (24"x24") ST SQ **■** 20 mm (¾")



Lagos Grey

EP 03

60x120 (24"x48") ST SQ **€** 20 mm (¾")

60x60 (24"x24") ST SQ **■** 20 mm (¾")



Cema Luna

EP 04

shadevariation S L I G H T



60x120 (24"x48") ST SQ **■** 20 mm (¾")

60x60 (24"x24") ST SQ **6** 20 mm (3/4")



JEWELS



60x60 (24"x24")

ST SQ **6** 20 mm (3/4")



Travertino Classico **JW 04**

60x60 (24"x24")

ST SQ **6** 20 mm (3/4")



Fumo di Londra **JW 06**



60x60 (24"x24") ST SQ **G** 20 mm (3/4")



SRI (60-80%): Indice di Riflettanza Solare Solar Reflectance Index

NAT: Naturale Natural

Strutturata Structured Piallata

Radiale Piallata Radiale

Dogata

STA: Strutturata Anticata Aged Structure



Aspetto uniforme Uniform appearance



Lieve variazione Slight variation



Moderata variazione Moderate variation





SIZES AND COLOURS

NORR



RR 01





60x60 (24"x24") STA SQ **■** 20 mm (¾")



RR 02



90x90 (36"x36") ST SQ **■** 20 mm (3/4")

60x60 (24"x24") STA SQ **■** 20 mm (¾")



Svart



90x90 (36"x36") ST SQ **■** 20 mm (3/4")

60x60 (24"x24") STA SQ **■** 20 mm (¾")


QUARZITI 2.0



Mountains QR 02











60x120 (24"x48")

NAT SQ **■** 20 mm (¾")



Waterfall



QR 05


Mantle



60x120 (24"x48") NAT SQ **■** 20 mm (¾")




60x60 (24"x24")







River




175

shadevariation MODERATE

NAT SQ **€** 20 mm (¾")















Glacier **QR 01**



60x60 (24"x24") NAT SQ **■** 20 mm (¾")



60x60 (24"x24") NAT SQ **€** 20 mm (¾")



Aspetto uniforme Uniform appearance



Lieve variazione Slight variation

Naturale

Natural

NAT:



Strutturata

Structured

174

Moderata variazione Moderate variation

Radiale

Radiale

Piallata

Piallata



Dogata

Forte stonalizzazione Substantial variation

Strutturata Anticata

Aged Structure

SIZES AND COLOURS

STONES 2.0





60x120 (24"x48") ST SQ **6** 20 mm (3/4")

90x90 (36"x36") ST SQ **■** 20 mm (¾")

60x60 (24"x24") ST SQ **€** 20 mm (¾")



Pierre Bleue

SO 10

60x120 (24"x48") ST SQ **6** 20 mm (3/4")

90x90 (36"x36") ST SQ **■** 20 mm (¾")

60x60 (24"x24") ST SQ **■** 20 mm (¾")



Pierre Bleue Sablée






90x90 (36"x36") ST SQ **■** 20 mm (¾")

60x60 (24"x24") ST SQ **€** 20 mm (¾")

TRIBECA



Harrison **TB 02**



45x90 (18"x36") NAT SQ **■** 20 mm (¾")



Greenwich

TB 04



45x90 (18"x36") NAT SQ **■** 20 mm (¾")



shadevariation H I G H

Hudson

TB 03

45x90 (18"x36") NAT SQ **€** 20 mm (¾")

60x60 (24"x24") NAT SQ **€** 20 mm (¾")



Broadway

TB 05



60x60 (24"x24") NAT SQ **€** 20 mm (¾")



SRI (60-80%): Indice di Riflettanza Solare Solar Reflectance Index

NAT: Naturale Natural


Strutturata Structured

Piallata Radiale Piallata Radiale

Dogata

Strutturata Anticata Aged Structure













Uniform appearance



Lieve variazione Slight variation



176

Moderata variazione Moderate variation







ALLWAYS



60x60 (24"x24")





Cabin AW 03



PL SQ **⊆** 20 mm (¾")

60x60 (24"x24") PL SQ **G** 20 mm (¾")



Bench AW 05

Fence

AW 01

shadevariation S L I G H T

60x60 (24"x24") PL SQ **€** 20 mm (¾")



Boat AW 07

60x60 (24"x24") PL SQ **€** 20 mm (¾")

SIZES AND COLOURS

NAU



Fado **NA 01**

60x60 (24"x24") RD SQ **€** 20 mm (¾")



Indie

NA 02

60x60 (24"x24") RD SQ **€** 20 mm (¾")



Epic

NA 03

60x60 (24"x24") RD SQ **■** 20 mm (¾")







Fado **NA 01**

□ 19,7x120 (8"x48") RD SQ **■** 20 mm (¾")

30x120 (12"x48") RD SQ **■** 20 mm (¾")

Indie NA 02

☐ 19,7x120 (8"x48") RD SQ **■** 20 mm (¾")

30x120 (12"x48") RD SQ **€** 20 mm (¾")

Epic NA 03

□ 19,7x120 (8"x48") RD SQ **■** 20 mm (¾")

30x120 (12"x48") RD SQ **■** 20 mm (¾")



SRI (60-80%): Indice di Riflett Indice di Riflettanza Solare Solar Reflectance Index

NAT: Naturale Strutturata Structured

180

Piallata Radiale Piallata Radiale

Dogata

STA: Strutturata Anticata Aged Structure



Aspetto uniforme Uniform appearance



Lieve variazione Slight variation

Natural



Moderata variazione Moderate variation



Forte stonalizzazione Substantial variation

Material suitable only to be laid on gravel and glued to the footing. For raised installation please see the table on page 42.

SIZES AND COLOURS

SIGNATURE









DT SQ **€** 20 mm (¾")









Artic SI 01

60x60 (24"x24")

SI 04

60x60 (24"x24")

DT SQ **■** 20 mm (¾")

Dakota

SI 05

60x60 (24"x24") DT SQ **€** 20 mm (¾")

For the best possible visual result of the wood-plank surface (DT) we recommend the staggered installation of the 60x60 slabs.



Artic

SI 01

SRI (60-80%): Indice di Riflett Indice di Riflettanza Solare Solar Reflectance Index

30x120 (12"x48")

RD SQ **⊆** 20 mm (¾")

NAT: Naturale Natural

Strutturata Structured

30x120 (12"x48")

RD SQ **€** 20 mm (¾")

Piallata Piallata

Radiale Radiale

Dogata

Strutturata Anticata Aged Structure

30x120 (12"x48")

RD SQ **⊆** 20 mm (¾")



Aspetto uniforme Uniform appearance



Lieve variazione Slight variation



Moderata variazione Moderate variation



SIZES AND COLOURS

SUNDECK



Origin **SD 01**

60x60 (24"x24") RD SQ **€** 20 mm (¾")



Classic **SD 02**

> 60x60 (24"x24") RD SQ **©** 20 mm (3/4")



Spirit

SD 03











Origin SD 01

30x120 (12"x48")

RD SQ **⊆** 20 mm (¾")

Classic **SD 02**

30x120 (12"x48") RD SQ **⊆** 20 mm (¾")

185

Spirit SD 03

30x120 (12"x48") RD SQ **⊆** 20 mm (¾")



SRI (60-80%): Indice di Rifletta Indice di Riflettanza Solare Solar Reflectance Index

Naturale Strutturata Natural Structured

Piallata Radiale Piallata

Dogata Radiale Dogata

Strutturata Anticata Aged Structure



Aspetto uniforme Uniform appearance



Lieve variazione Slight variation

NAT:



184

Moderata variazione Moderate variation



CONCRETE EFFECT





LAB 21

LB 04



Lab_mou

60x60 / 24"x24"

ST SQ 🗲 20 mm

Lab_fog **LB 07**

60x60 / 24"x24"

ST SQ 🗲 20 mm

SRI (60-80%): Indice di Rifletta Indice di Riflettanza Solare Solar Reflectance Index

NAT: Naturale Strutturata Piallata Radiale Natural Structured

Piallata Radiale

STA:

Dogata Strutturata Anticata Dogata Aged Structure



Aspetto uniforme Uniform appearance



Moderata variazione Moderate variation



CONCRETE EFFECT

SIZES AND COLOURS

MASHUP



Way MP 02

90x90 / 36"x36" ST SQ 🖨 20 mm

60x60 / 24"x24" ST SQ 🖨 20 mm







Block MP 03



60x60 / 24"x24" ST SQ **©** 20 mm



WINTER MP 04

60x60 / 24"x24" ST SQ **©** 20 mm



OFFICINE





60x60 / 24"x24" ST SQ 🖨 20 mm



Dark OF 03



ST SQ **©** 20 mm



Gothic OF 04





Road

MP 04

90x90 / 36"x36"

ST SQ **©** 20 mm

60x60 / 24"x24" ST SQ 🖨 20 mm



SRI [60-80%]: Indice di Riflettanza Solare Solar Reflectance Index

NAT: Naturale Natural

Strutturata Structured

Piallata Piallata Radiale

Radiale

STA: Dogata Strutturata Anticata Aged Structure



Aspetto uniforme Uniform appearance




Lieve variazione Slight variation



Moderata variazione Moderate variation



OUTDOOR COMPLEMENTS





RIFT is a porcelain stoneware special piece coordinated with the Ardesie, Quarziti 2.0 and Tribeca collections: a squared, rectified three-dimensional decorative piece ideal to outdoor tiling for creating walls and wall coverings. Rift comes in size 10,5x45 (41/8"x18") NAT, and must be laid staggered, with no gaps, to create a balanced, harmonious visual effect. A cover element should be laid at the top of the tiling to prevent water from infiltrating between the tiles and the wall.

ARDESIE


Rift AD 02

Rift AD 04




Rift AD 01 10.5x45 (41/8"x18") NAT





QUARZITI 2.0















Rift TB 01

10,5x45 (4½"x18") NAT

TRIBECA





10,5x45 (41/8"x18") NAT

Rift AD 03 10,5x45 (4¹/₈"x18") NAT

10,5x45 (41/8"x18") NAT





Rift QR 03

Rift QR 04

10,5x45 (4¹/₈"x18") NAT



Rift TB 03 10,5x45 (4¹/₈"x18") NAT







Rift TB 04






Rift AD 05



Rift QR 05 10,5x45 (4¹/₈"x18") NAT








OUTDOOR COMPLEMENTS

MASHUP





SRI (60-80%): Indice di Rifletta Indice di Riflettanza Solare Solar Reflectance Index

ST SQ **■** 20 mm (¾")

Natural

Structured

Piallata Radiale

Naturale Strutturata Piallata Radiale Dogata Strutturata Anticata Aged Structure



Aspetto uniforme Uniform appearance



Lieve variazione Slight variation



ST SQ **6** 20 mm (3/4")

Moderata variazione Moderate variation






MODULAR PROJECT

available to order for the collections QUARZITI 2.0, STONES 2.0 ed ESPRIT

(recommended for laying on gravel and footing with glue)

MODULAR PROJECT




MODULAR #1


Module percentages:

■ modular (1 pz. 60x90/24"x36" + 1 pz. 30x60/12"x24") - 66,7%

■ 60x120/24"x48" - 33,3%

Collections: Stones 2.0 - Quarziti 2.0 - Esprit





MODULAR PROJECT

available to order for the collections QUARZITI 2.0, STONES 2.0 ed ESPRIT

(recommended for laying on gravel and footing with glue)

MODULAR PROJECT



QUARZITI 2.0 QR 02 NAT Mountain



STONES 2.0 SO 11 ST Pierre Bleue Sablée



QUARZITI 2.0 QR 03 NAT Waterfall



ESPRIT EP 01 ST Cremo Delicato



QUARZITI 2.0 QR 05 NAT Mantle



ESPRITEP 02 ST
Pietra Piasentina



STONES 2.0 SO 05 ST Chambrod



ESPRIT EP 03 ST Lagos Grey



STONES 2.0 SO 10 ST Pierre Bleue



ESPRIT EP 04 ST Crema Luna

MODULAR #2

Module percentages:

- modular (1 pz. 60x90/24"x36" + 1 pz. 30x60/12"x24") 32%
- 60x120/24"x48" 32% 90x90/36"x36" 36%

Collections: Stones 2.0




MODULAR #3

Module percentages:

- modular (1 pz. 60x90/24"x36" + 1 pz. 30x60/12"x24") 32%
- 60x120/24"x48" 32% 90x90/36"x36" 36%

Collections: Stones 2.0




MODULAR #4

Module percentages:

- modular (1 pz. 60x90/24"x36" + 1 pz. 30x60/12"x24") 28,5%
- 60x120/24"x48" 57,2% 60x60/24"x24" 14,3%

Collections: Stones 2.0 - Quarziti 2.0 - Esprit



MODULAR #5

Module percentages:

- modular (1 pz. 60x90/24"x36" + 1 pz. 30x60/12"x24") 47%
- 90x90/36"x36" 53%

Collections: Stones 2.0




MODULAR #6

Module percentages:

- modular (1 pz. 60x90/24"x36" + 1 pz. 30x60/12"x24") 27,6%
- 90x90/36"x36" 36% 60x120/24"x48" 27,6% 60x60/24"x24" 13,8% 90x90/36"x36" 31%

Collections: Stones 2.0



30 MILLIMETRE (11/4") THICK SLABS SIZES 40x60 (16"x24") NAT NO SQ AND 60x60 (24"x24") NAT SQ





AVAILABLE COLOURS

QUARZITI_2.0







Mountains QR 02 NAT

Waterfall QR 03 NAT

Mantle QR 05 NAT



PACKAGING AND PALLET






	60x60x2 (24"x24"x ⁴ / ₅ ")	60x120x2 (24"x48"x ⁴ / ₅ ")	30x120x2 (12"x48"x ⁴ / ₅ ")	19,7x120x2 (8"x48"x ⁴ / ₅ ")	90x90x2 (36"x36"x ⁴ / ₅ ")	45x90x2 (18"x36"x ⁴ / ₅ ")	40x60x3 (16"x24"1 ¹ / ₄ ")	60x60x3 (24"x24"1 ¹ / ₄ "
∑ KG	16.45	33.40	16.70	10.50	36.50	18.50	15.00	25.00
ARDESIE	•							
ESPRIT	•	•						
LAB_21	•							
JEWELS	•							
MASHUP	•				•			
NAU	•		•	•				
NORR	•				•			
OFFICINE	•	· · · ·						
QUARZITI_2.0	•	•				•	•	•
SIGNATURE	•		•					
STONES_2.0	•	•			•			
SUNDECK	•		•					
TRIBECA	•					•		

TECHNICAL CHARACTERISTICS OF THE CERAMIC MATERIAL

STANDARD EN 14411-G






DM. 236/89 BCRA: Italy

ASTM Wet and Dry: USA, Canada, Mexico


DIN 51130: Germania and Europe **DIN 51097**: Germania and Europe

ENV 12633: Spain



^{* =} Valid only for square formats

ASTM C1028 - ANSI A137.1: Value are approximate and may vary slightly depending on the collection.



Contemporary Landscape

In 2010 Mirage® made its mark as the first international company to develop a complete range of 20 mm (3/4") porcelain stoneware for outdoor flooring and furnishing.

A system that brings innovation to the Contemporary Landscape Design world. Today EVO_2/ETM is still the most advanced range on the market, thanks to the know-how acquired in years of research and the wide range of colours, sizes, special pieces and complements.

WARNING:

- OUTDOOR PAVINGS INSTALLED UNGLUED ABOVE THE GROUND LEVEL ARE SUBJECT TO THE ACTION OF THE WIND, WITH THE RISK, IN SOME CASES, OF BECOMING AIRBORNE. THE MANUFACTURER RECOMMENDS TO REQUIRE THE ASSISTANCE OF A QUALIFIED PROFESSIONAL IN ORDER TO CHECK THE SUITABILITY OF THE INSTALLATION SYSTEM ABOVE THE GROUND ADOPTED, IN ACCORDANCE WITH THE LOCAL LAWS AND REGULATIONS AND THE CONDITIONS OF USE. FAILURE TO DO SO COULD RESULT IN SERIOUS INJURY OR PROPERTY DAMAGE.
- A CERAMIC SLAB INSTALLED ON A RAISED PEDESTAL SYSTEM MAY FRACTURE ON IMPACT IF A HEAVY OBJECT IS DROPPED ONTO IT FROM A HEIGHT, WITH A RISK OF INJURY TO ANYONE STANDING OR WALKING ON SUCH SLAB. FAILURE TO ADHERE TO THE MANUFACTURER'S INSTRUCTIONS FOR INSTALLATION OF SLABS ON RAISED PEDESTAL SYSTEMS MAY RESULT IN SERIOUS INJURY.
- FOR FURTHER INFORMATION AND RECOMMENDATIONS CONCERNING THE INSTALLATION SYSTEMS PLEASE REFER TO WWW.MIRAGE.IT OR TO THE EVO_2/ETM 20 MM. CATALOGUE.



Made in Italy

41026 PAVULLO (MO) ITALY Via Giardini nord, 225 Tel. +39 0536 29.611 Telefax +39 0536 21.065 info@mirage.it









